

FIBRE CHARACTERISTICS

PARAMETERS	CHARACTERISTICS
WARP:	
*.- Background	Polyester Den. 2000 natural colour
*.- Edges	Polyester Den. 1000 natural colour
*.- Binder	Polyester Den. 1000 natural colour
*.- Filler	Polyester Den. 1000 natural colour
WEFT:	Polyester Den. 1000 natural colour
LOCKING THREAD:	Polyester Den. 250 natural colour (System III or V)
	0
	0

WEBBING CHARACTERISTICS

PARAMETERS	CHARACTERISTICS
WEAVE:	Double weave with threads of union
WARP:	
*.- Background (N° Yarns)	84 +/- 5
*.- Edges (N° Yarns)	14 +/- 1
*.- Binder (N° Yarns)	43
*.- Filler (N° Yarns)	44
	0
WEFT DENSITY: (Picks / cm.)	10,40 +/- 0,9
WIDTH: (mm.)	50+/- 1
THICKNESS: (mm.)	1,30 +/- 0,2
WEIGHT: (gr / mt.)	52 +/- 5%
BREACKING STRENGTH: (Kgf.)	> 1800
ELONGATION: (%)	11 +/- 1% (a 600 k.)
FINISHING:	Thermofixed or Piece dyed
	0
	0
	00-ene

REMARKS: