T25140 (WE 25N)

DESCRIPTION

T25140 is polyether foam with a homogeneous open cell structure.
T25140 can be used in the furniture and upholstery market and bedding application market.
Can be used as top mattress, back cushions, paddings, ….

SPECIFICATIONS

Property	Unit	Method	Value
Net density	kg/m³	ISO 845	22-24
Ild 40%	N	ISO 2439/B	140 (±15%)

TYPICAL VALUES

Property	Unit	Method	Value
Elongation at break	%	ISO 1798	150
Tensile Strength	kPa	ISO 1798	115
DSV: Height loss	%	ISO 3385	4
DSV: Hardness loss	%	ISO 3385	30

Testing conditions are available for consultation

SPECIFIC INFORMATION

Production plant: Åndalsnes NO
Colour: Light blue
Gross foaming width: 2040 (-0/+20mm)
Lead time: 2 week
Minimum quantity:
Gross height of standard blocks: 1010 (-0/+20mm)

This information is based on our most recent knowledge. However, the application and processing of the material after sale is beyond our control and we cannot assume responsibility for use of this material outside Carpenter's premises. The user is obliged to check the suitability of this material for the intended use and accepts sole reponsibility for compliance with any legal requirements relating to its use. this document does not constitute a warranty or guarantee.